

No:1100003

Petrol Chain Saw 52CC/58CC



Specifications:

Displacement	52CC/58CC
Engine	1E45F/1E46F
Rated Power	2.0kw/11000rpm 2.2kw/11500rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	20"/22"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	





No:1100001 Petrol Chain Saw 45CC/52CC/58CC



Specifications:	
Displacement	45CC/52CC/58CC
Engine	1E43F/1E45F/1E46F
Rated Power	1.7kw/10000rpm 2.0kw/11000rpm 2.2kw/11500rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	18"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	

No:1100002 Petrol Chain Saw 45CC/52CC/58CC



Specifications:	
Displacement	45CC/52CC/58CC
Engine	1E43F/1E45F/1E46F
Rated Power	1.7kw/10000rpm 2.0kw/11000rpm 2.2kw/11500rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	18"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	

No:1100004 Petrol Chain Saw 52CC/58CC



Specifications:	
Displacement	52CC/58CC
Engine	1E45F/1E46F
Rated Power	2.0kw/11000rpm 2.2kw/11500rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	20"/22"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	

No:1100005 Petrol Chain Saw 25CC



Specifications:	
Displacement	25CC
Engine	1E31F
Rated Power	1.2kw/10000rpm
Idle Speed	3000rpm
Fuel tank capacity	230ml
Oil tanks capacity	220ml
Max Cutting Diameter	12"
Chain pitch-gauge	3/8"-0.050"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	

No:1100006 Petrol Chain Saw 25CC



Specifications:	
Displacement	25CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	0.9kw/8000rpm
Idle Speed	3200rpm
Fuel tank capacity	230ml
Oil tanks capacity	210ml
Guide Bar Size	10"/12"
Chain pitch	3/8
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	

No:1100007 Petrol Chain Saw 25CC



Specifications:	
Displacement	25CC
Engine	2-stroke
Rated Power	0.9kw/7000rpm
Idle Speed	3000rpm
Fuel tank capacity	230ml
Oil tanks capacity	160ml
Guide bar Size	10"/12"
Chain pitch	3/8
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	

No:1100008 Petrol Chain Saw 38CC



Specifications:	
Displacement	38CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.25kw/8000rpm
Idle Speed	3200rpm
Fuel tank capacity	310ml
Oil tanks capacity	210ml
Guide Bar Size	14"/16"
Chain pitch	3/8 0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	





No:1100009 Petrol Chain Saw 38CC



Specifications:	
Displacement	38CC
Engine	2-stroke
Rated Power	1.2kw/7000rpm
Idle Speed	3000rpm
Fuel tank capacity	310ml
Oil tanks capacity	210ml
Guide bar Size	14"/16"
Chain pitch	3/8
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	

No:1100010 Petrol Chain Saw 45CC



Specifications:	
Displacement	45CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	16"/18"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	

No:1100011 Petrol Chain Saw 45CC



Specifications:	
Displacement	45CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	16"/18"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	

No:1100012 Petrol Chain Saw 52CC



Specifications:	
Displacement	52CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.9kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	

No:1100013 Petrol Chain Saw 58CC



Specifications:	
Displacement	58CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	

No:1100014 Petrol Chain Saw 58CC



Specifications:	
Displacement	58CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	

No:1100015 Petrol Chain Saw 58CC



Specifications:	
Displacement	58CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	

No:1100016 Petrol Chain Saw 62CC



Specifications:	
Displacement	62CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.7kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	670ml
Oil tanks capacity	350ml
Guide Bar Size	22"/24"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	



No:1100017 Petrol Chain Saw 61.5CC



Specifications:	
Displacement	61.5CC
Engine	2-stroke
Rated Power	2.5kw/7000rpm
Idle Speed	3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	

No:1100018 Petrol Chain Saw 62CC



Specifications:	
Displacement	62CC
Engine	2-stroke
Rated Power	3.2kw/7000rpm
Idle Speed	3200rpm
Fuel tank capacity	670ml
Oil tanks capacity	350ml
Guide bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	

No:1100019 Chainsaw & Pole Chainsaw 18V



Specifications:	
DC Voltage	DC 18V
Battery	lithium 1.5/2.0Ah
Charging Time	3-5hours/1-1.5hours
Running Time	15-25mins
Speed	4.5m/s
Max Cutting Length	250mm
Telescopic Tube	Aluminium(185cm-245cm without bar)
Oil Capacity	100ml
With Rotated Head	0°, 15°, 30°
Quickly Fasten System	

No:1100020 Chain Saw 18V



Specifications:	
DC Voltage	DC 18V
Battery	lithium 1.5/2.0Ah
Charging Time	3-5hours/1-1.5hours
Running Time	20-25mins
Speed	2.9m/s
Max Cutting Length	250mm
Total Length	650mm
Oil Capacity	150ml
Auto Oil Supply Quickly Fasten System	

No:1100021 Chain Saw 1200W



Specifications:	
Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1200W
Guide Bar Size	12"
Certificate	CE



No:1100022 Chain Saw 1600W



Specifications:	
Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1600W
Guide Bar Size	14"
Certificate	CE



No:1100023 Chain Saw 2000W



Specifications:	
Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
Guide Bar Size	16"
Certificate	CE



No:1100024 Chain Saw 2400W



Specifications:	
Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2400W
Guide Bar Size	16"
Certificate	CE



No:1100102 Brush Cutter 45CC/52CC



Specifications:

Displacement	45CC/52CC
Engine	1E43F/1E45F
Rated Power	1.7kw/8000rpm 2.0kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100103 Brush Cutter 45CC/52CC



Specifications:

Displacement	45CC/52CC
Engine	1E43F/1E45F
Rated Power	1.7kw/8000rpm 2.0kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100406 4 In 1 Multi-tool 45CC/52CC



Specifications:

Displacement	45CC/52CC
Engine	1E43F/1E45F
Rated Power	1.7kw/8000rpm 2.0kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1



No:1100104 Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1000W/1200W
No-load Speed	8000rpm
Cutting Capacity	40cm
Nylon Line	2.0mm×5m
Steel Tube Dia	25.4mm
Certificate	CE



No:1100106 Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No-load Speed	11000rpm
Cutting Capacity	30cm
Telescopic Tube	Aluminium 920mm-1140mm
Spool	2x4m length, Ø1.4mm
Cable	2x0.75mmx0.35m
Certificate	CE



No:1100105 Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	250W
No-load Speed	11000rpm
Cutting Capacity	25cm
Spool	2x4m length, Ø1.2mm
Cable	2x0.75mmx0.35m
Certificate	CE



No:1100107 Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No-load Speed	9000rpm
Cutting Capacity	33cm
Certificate	CE





No:1100108

Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No-load Speed	8800rpm
Cutting Capacity	32cm
Certificate	CE



No:1100109

Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	350W
No-load Speed	10000rpm
Cutting Capacity	26cm
Spool	2x4m length, Ø1.4mm
Cable	2x0.75mmx0.35m
Certificate	CE



No:1100203

Hedge Trimmer 26CC



Specifications:

Displacement	26CC
Engine	1E26F
Rated Power	0.85kw/7500rpm
Idle Speed	2800rpm
Fuel tank capacity	800ml
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100110

Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	300W
No-load Speed	12500rpm
Cutting Capacity	25cm
Certificate	CE



No:1100111

Brush Cutter



Specifications:

Battery	20V 2.0Ah(1.5Ah-4.0Ah)
Battery Type	Lithium-ion
Charging Time	4h(1h For Fast Charger)
No-load Speed	9000rpm
Cutting Capacity	25cm
Certificate	CE



No:1100204

Hedge Trimmer 25.4CC



Specifications:

Displacement	25.4CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	0.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	230ml
Handle Type	Super rolling (180°)
Blade	Duble Side
Pruning Length	600mm
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1

No:1100205

Hedge Trimmer 25.4CC




Specifications:

Displacement	25.4CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	0.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	230ml
Handle Type	Fixed
Blade	Duble Side
Pruning Length	600mm
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1


No:1100206 Hedge Trimmer 500W / 600W



Specifications:	
Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W/ 600W
No-load Speed	1500/1600rpm
Length of Blade	410/460/510/560/610/630mm
Branch Cutting Diam.	16mm
Cable	2x0.75mmx0.35m
Certificate	CE
	

No:1100207 Hedge Trimmer 450W



Specifications:	
Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
No-load Speed	1700rpm
Length of Blade	410/460/510/560/610/630mm
Branch Cutting Diam.	16mm
Cable	2x0.75mmx0.35m
Certificate	CE
	

No:1100502 Water Pump 52CC



Specifications:	
Displacement	52CC
Engine	1E45F
Rated Power	1.5kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Calibe	1", 1.5", 2"
Lift	10m
Suction	6m
Flow	8m³/h
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	



No:1100601 Blower 63CC



Specifications:	
Displacement	63CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Air Volume	0.3 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100602 Blower 76CC



Specifications:	
Displacement	76CC
Engine	Air-cooled, 4-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Air Volume	0.32 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100603 Blower 76CC



Specifications:	
Displacement	76CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	3.5kw/8000rpm
Idle Speed	3300rpm
Air Volume	0.35 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100604 Blower 75.6CC



Specifications:	
Displacement	75.6CC
Engine	Air-cooled, 4-stroke, single cylinder
Rated Power	2.6kw/8000rpm
Idle Speed	2800-3200rpm
Displacement	7000
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type
Wind Speed	86m/s
Fuel Tank Capacity	2L

No:1100605

Blower 63.3CC



Specifications:

Displacement	63.6CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.7kw/8000rpm
Idle Speed	2800-3200rpm
Displacement	6800
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type
Wind Speed	90m/s
Fuel Tank Capacity	2L

No:1100606

Blower 63.3CC



Specifications:

Displacement	63.6CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.7kw/8000rpm
Idle Speed	2800-3200rpm
Displacement	6800
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type
Wind Speed	90m/s
Fuel Tank Capacity	2L

No:1100607

Blower 58CC



Specifications:

Displacement	58CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	3300rpm
Air Volume	0.35 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100608

Blower 88CC



Specifications:

Displacement	88CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	3.5kw/8000rpm
Idle Speed	3300rpm
Air Volume	0.7 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100621

Blower 2000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
No-load Speed	14000rpm
Air Speed	200km/h
Air Volume	11m³/min
Certificate	CE



No:1100622

Blower 2200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2200W
No-load Speed	15000rpm
Air Speed	220km/h
Air Volume	13m³/min
Certificate	CE



No:1100623

Blower 3500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	3500W
No-load Speed	17000rpm
Air Speed	260km/h
Air Volume	18m³/min
Certificate	CE



No:1100624

Blower 3800W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	3800W
No-load Speed	13500rpm
Air Speed	280km/h
Air Volume	20m³/min
Certificate	CE



No:1100631

Blower 20V



Specifications:

Voltage	20V
No-load Speed	16000rpm
Blowing Speed	130km/h
Air Volume	6m³/min
Working Time	30mins
Certificate	CE



No:1100632

Blower 20V



Specifications:

Voltage	20V
No-load Speed	18000rpm
Blowing Speed	168km/h
Air Volume	29m³/min
Working Time	30mins
Certificate	CE



No:1100633

Blower 40V



Specifications:

Voltage	40V
No-load Speed	18000rpm
Blowing Speed	180km/h
Air Volume	20m³/min
Working Time	40mins
Certificate	CE



No:1100701

Electric Sprayer 8L



Specifications:

Voltage	12V
Water Volume	8L
Compressor Pressure	6 Bar
Battery Capacity	1300/1500/2000mAh
Automatically Start/Stop	Start When P<1.8Bar, Stop When P>2.8Bar
Gross/Net Weight	3.2/3.0Kg
Accessory	Sprayer Nozzle, Car Cleaning Brush Shower Nozzle, Tire Charging Hose Battery Charger



No:1100702

Electric Sprayer 16L



Specifications:

Voltage	12V
Water Volume	16L
Compressor Pressure	6 Bar
Battery Capacity	1300/1500/2000mAh
Automatically Start/Stop	Start When P<1.8Bar, Stop When P>2.8Bar
Gross/Net Weight	3.8/3.2Kg
Accessory	Sprayer Nozzle, Car Cleaning Brush Shower Nozzle, Tire Charging Hose Battery Charger



No:1100801

Electric Shredder 2600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2600W
No-load Speed	4200rpm
Max Cutting Dia	40mm
Capacity Of Collection Box	50L



No:1100802

Electric Shredder 2400W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2400W
No-load Speed	4500rpm
Max Cutting Dia	29mm

